



CODEMARK™



Certificate of Conformity

This is to certify compliance of GreenClad™ (EIFS) Insulated Façade System



Product Purpose, Use and Application

- a. Certified as an exterior cladding system used for use in Residential, Industrial and Commercial Building applications]
- b. For use on buildings of Type C construction or Class 1 or 10.
- c. For use in non-cyclonic wind regions N1, N2, N3, N4 and N5
- d. For use in cyclonic wind regions C1 and C2.

Product Description

The GreenClad Exterior Insulation and Finishing System (EIFS) Wall Cladding System used on building facades is made up of M-Grade expanded polystyrene panel directly fixed to the exterior wall frame via breathable building wrap with screws and washers. Alkaline resistance fibre glass is stuck on the entire panel as well as over joints. The meshed panel is coated with GreenClad coating system consisting of a base coat of polymer modified render and a top coat of Acrylic Texture

Certificate Holder

Painttex Pty Ltd
 ABN: 55134179310
 Unit 4, 10-12 South Link Road
 Dandenong South, VIC 3175
 Ph: 03 97994044
 W: www.painttex.com.au

Certification Body



CertMark International Pty Ltd
 ABN: 80 111 217 568
 JAS-ANZ Accreditation No.
 Z4450210AK

PO Box 7144, Sippy Downs Qld 4556
 +61 (02) 6100 4300
www.CertMark.org

Complies with the National Construction Code – Building Code of Australia 2016

- | | |
|--|--|
| <ul style="list-style-type: none"> a. A0.2(a) Compliance with the Performance Requirements through a Performance Solution. b. BP1.1(b)(iii) Wind actions. c. FP1.4. Damp and Weatherproofing. d. Contributes to JP1 – Energy Efficiency. | <ul style="list-style-type: none"> a. 1.0.2(a) Compliance with the Performance Requirements through a Performance Solution. b. P2.1.1 – Structural stability and resistance to actions (a), (b) & (c), as applicable to nominal bracing lateral wind loading and fastening pull outs. c. P2.2.2 - Weatherproofing. d. Contributes to P2.6.1 Energy Efficiency. |
|--|--|

Conditions and Limitations

- This certificate is limited to the details within this certificate, including the compliance elements, product description and purpose or use. This certification is to be read, considered used as a whole document and reproduced in its entirety.
- Must be installed in accordance with the GreenClad Insulated Façade System Technical and Installation Manual – Ver.3 Dt. 12/4/2016.
- Only to be installed by Painttex approved and experienced applicator.

ABCB Disclaimer

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms to the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.

John Thorpe

Don Grehan

CertMark International Unrestricted Building Certifier

14/9/2015

Date of Issue

14/9/2018

Date of Expiry

CMA-CMA0157-I01-R01

Certificate Number

Revised May 2016